

SMT-TR21-236IQ

Visitor Management Kiosk

SMT



Highlight Features :

- Value Visitor Management Self-Service Kiosk
- 23.6-inch Industrial-Grade Touch Screen with Android 11 OS
- Facial Registration, Thai National ID & Driving License Card Reader, QR Code - Barcode Reader

Display :

- 23.6-inch Industrial-Grade Curved Touch Monitor
- 10-Point Capacitive Touch
- 1920 x 1080 Resolution (FHD)
- 250 cd/m2 Luminance
- 10ms Response Time
- Viewing Angle 89/89/89/89 (CR ≥10)
- Built-in RGB Status Lightbar (3 Modes : Available, In-Use, Maintenance)

Modules :

- 8MP Dual Camera (8MP B&W and 8MP HD Cameras)
- All-in-One Card Reader for Thai National ID Card, Thai Driving License, and NFC Card
- QR & Barcode Scanner

Interfaces :

- 1x AC Power Socket
- 1x 10/100/1000 RJ-45 LAN

System :

- Android 11 OS
- Roomminister® Platform

Display	• Diagonal Size 23.6" • Resolution 1920 x 1080 • Bightness (Typical) 250cd (Typ, w/o glass) • Viewing Angle (H/V) 178/178 • Color Gamut 72% • H-Scanning Frequency 47~75KHz • V-Scanning Frequency 56~84.5Hz • Operation Time Support 24/7	• Panel Type ADS • Pixel Pitch (HxV) 0.2745 x 0.2745 mm • Contrast Ratio 3000 : 1 • Response Time 10ms • Glass Haze 25 (w/o glass) • Maximum Pixel Frequency 594MHz • Contrast Ratio (Dynamic) Mega • Touch Technology Capative
Connectivity	• HDMI In 1 • RS232 In Yes • WIFI Yes	• USB 1 • RJ45 In Yes
Power	• Power Supply AC100-240V 50/60Hz • Power Consumption (Sleep Mode) 0.5 W	• Power Consumption (On Mode) 49.5 W
Dimension	• Set Dimension (WxHxD) 547.9 x 334.4 x 48.8 mm	• Package Dimension (WxHxD) 620 x 419 x 122 mm
Weight	• Set Weight 4.4 kg	• Package Weight 5.4 kg
Operation Conditions	• Temperature 0°C ~40°C	• Humidity 10 ~ 80%, non-condensing
Mechanical Specification	• Bazel Width UD: 17.9 / LR: 9.4	• Frame Material Non-Glossy
Operation Feature	• Touch Yes	• Stand Yes

